


File Copy
09/955,4628
updated

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Wilusz J Go Clear

☒ Limits Preview/Index History Clipboard Details

[About Entrez](#)

Text Version

Field: Author

Display Summary Show: 20 Sort Send to Text

Items 1-20 of 46

Page 1 of 3 Next

Entrez PubMed

[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)

PubMed Services

[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)

Related Resources

[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)☐ 1: [Milone J, Wilusz J, Bellofatto V.](#)[Related Articles, Links](#)

Characterization of deadenylation in trypanosome extracts and its inhibition by poly(A)-binding protein Pab1p.

RNA. 2004 Mar;10(3):448-457.

PMID: 14970390 [PubMed - as supplied by publisher]

☐ 2: [Mukherjee D, Fritz DT, Kilpatrick WJ, Gao M, Wilusz J.](#)[Related Articles, Links](#)

Analysis of RNA exonucleolytic activities in cellular extracts.

Methods Mol Biol. 2004;257:193-212.

PMID: 14770007 [PubMed - in process]

☐ 3: [Bergman N, Milone J, Bates EJ, Opyrchal M, Bellofatto V, Wilusz J.](#)[Related Articles, Links](#)

Assessing Messenger RNA Decapping in Cellular Extracts.

Methods Mol Biol. 2004;257:181-192.

PMID: 14770006 [PubMed - as supplied by publisher]

☐ 4: [Kash JC, Cunningham DM, Smit MW, Park Y, Fritz D, Wilusz J, Katze MG.](#)[Related Articles, Links](#)

Selective translation of eukaryotic mRNAs: functional molecular analysis of GRSF-1, a positive regulator of influenza virus protein synthesis.

J Virol. 2002 Oct;76(20):10417-26.

PMID: 12239318 [PubMed - indexed for MEDLINE]

☐ 5: [Milone J, Wilusz J, Bellofatto V.](#)[Related Articles, Links](#)

Identification of mRNA decapping activities and an ARE-regulated 3' to 5' exonuclease activity in trypanosome extracts.

Nucleic Acids Res. 2002 Sep 15;30(18):4040-50.

PMID: 12235388 [PubMed - indexed for MEDLINE]

☐ 6: [Natalizio BJ, Muniz LC, Arhin GK, Wilusz J, Lutz CS.](#)[Related Articles, Links](#)

Upstream elements present in the 3'-untranslated region of collagen genes influence the processing efficiency of overlapping polyadenylation signals.

J Biol Chem. 2002 Nov 8;277(45):42733-40. Epub 2002 Aug 27.


PMID: 12200454 [PubMed - indexed for MEDLINE]


☐ 7: [Bergman N, Opyrchal M, Bates EJ, Wilusz J.](#)[Related Articles, Links](#)

Analysis of the products of mRNA decapping and 3'-to-5' decay by denaturing gel electrophoresis.

RNA. 2002 Jul;8(7):959-65.


PMID: 12166650 [PubMed - indexed for MEDLINE]


-  **8:** [Arhin GK, Boots M, Bagga PS, Milcarek C, Wilusz J](#) [Related Articles, Links](#)

 Downstream sequence elements with different affinities for the hnRNP H/H' protein influence the processing efficiency of mammalian polyadenylation signals.

Nucleic Acids Res. 2002 Apr 15;30(8):1842-50.

PMID: 11937639 [PubMed - indexed for MEDLINE]


-  **9:** [Mukherjee D, Gao M, O'Connor JP, Rajmakers R, Pruijn G, Lutz CS, Wilusz J](#) [Related Articles, Links](#)

 The mammalian exosome mediates the efficient degradation of mRNAs that contain AU-rich elements.

EMBO J. 2002 Jan 15;21(1-2):165-74.


PMID: 11782436 [PubMed - indexed for MEDLINE]


-  **10:** [Fritz DT, Ford LP, Wilusz J](#) [Related Articles, Links](#)

 An in vitro assay to study regulated mRNA stability.

Sci STKE. 2000 Dec 5;2000(61):PL1.


PMID: 11752625 [PubMed - indexed for MEDLINE]


-  **11:** [Schneider R, Agol VL, Andino R, Bayard F, Cavener DR, Chappell SA, Chen JJ, Darlix JL, Dasgupta A, Donze O, Duncan R, Elroy-Stein O, Farabaugh PJ, Filipowicz W, Gale M Jr, Gehrke L, Goldman E, Groner Y, Harford JB, Hatzoglou M, He B, Hellen CU, Hentze MW, Hershey J, Hershey P, Hohn T, Holcik M, Hunter CP, Igarashi K, Jackson R, Jagus R, Jefferson LS, Joshi B, Kaempfer R, Katze M, Kaufman RJ, Kiledjian M, Kimball SR, Kimchi A, Kirkegaard K, Koromilas AE, Krug RM, Kruss V, Lamphear BJ, Lemon S, Lloyd RE, Maquat LE, Martinez-Salas E, Mathews MB, Mauro VP, Miyamoto S, Mohr I, Morris DR, Moss EG, Nakashima N, Palmenberg A, Parkin NT, Pe'ery T, Pelletier J, Peltz S, Pestova TV, Pilipenko EV, Prats AC, Racaniello V, Read GS, Rhoads RE, Richter JD, Rivera-Pomar R, Rouault T, Sachs A, Sarnow P, Scheper GC, Schiff L, Schoenberg DR, Semler BL, Siddiqui A, Skern T, Sonenberg N, Tahara SM, Thomas AA, Toulme JJ, Wilusz J, Wimmer E, Witherell G, Wormington M](#) [Related Articles, Links](#)

 New ways of initiating translation in eukaryotes.

Mol Cell Biol. 2001 Dec;21(23):8238-46. No abstract available.

PMID: 11710333 [PubMed - indexed for MEDLINE]


-  **12:** [Wilusz CJ, Gao M, Jones CL, Wilusz J, Peltz SW](#) [Related Articles, Links](#)

 Poly(A)-binding proteins regulate both mRNA deadenylation and decapping in yeast cytoplasmic extracts.

RNA. 2001 Oct;7(10):1416-24.


PMID: 11680846 [PubMed - indexed for MEDLINE]


-  **13:** [Gao M, Wilusz CJ, Peltz SW, Wilusz J](#) [Related Articles, Links](#)

 A novel mRNA-decapping activity in HeLa cytoplasmic extracts is regulated by AU-rich elements.


EMBO J. 2001 Mar 1;20(5):1134-43.

PMID: 11230136 [PubMed - indexed for MEDLINE]

-  **14:** [Veraldi KL, Arhin GK, Martincic K, Chung-Ganster LH, Wilusz J, Milcarek C](#) [Related Articles, Links](#)

 hnRNP F influences binding of a 64-kilodalton subunit of cleavage stimulation factor to mRNA precursors in mouse B cells.

Mol Cell Biol. 2001 Feb;21(4):1228-38.
PMID: 11158309 [PubMed - indexed for MEDLINE]


 **15:** [Gao M, Fritz DT, Ford LP, Wilusz J.](#)

[Related Articles, Links](#)



Interaction between a poly(A)-specific ribonuclease and the 5' cap influences mRNA deadenylation rates in vitro.

Mol Cell. 2000 Mar;5(3):479-88.
PMID: 10882133 [PubMed - indexed for MEDLINE]


 **16:** [Bagga PS, Wilusz J.](#)

[Related Articles, Links](#)



Northwestern screening of expression libraries.

Methods Mol Biol. 1999;118:245-56. No abstract available.
PMID: 10549527 [PubMed - indexed for MEDLINE]


 **17:** [Park YW, Wilusz J, Katze MG.](#)

[Related Articles, Links](#)



Regulation of eukaryotic protein synthesis: selective influenza viral mRNA translation is mediated by the cellular RNA-binding protein GRSF-1.

Proc Natl Acad Sci U S A. 1999 Jun 8;96(12):6694-9.
PMID: 10359774 [PubMed - indexed for MEDLINE]


 **18:** [Ford LP, Wilusz J.](#)

[Related Articles, Links](#)



An in vitro system using HeLa cytoplasmic extracts that reproduces regulated mRNA stability.

Methods. 1999 Jan;17(1):21-7.
PMID: 10075879 [PubMed - indexed for MEDLINE]


 **19:** [Ford LP, Wilusz J.](#)

[Related Articles, Links](#)



3'-Terminal RNA structures and poly(U) tracts inhibit initiation by a 3'-->5' exonuclease in vitro.

Nucleic Acids Res. 1999 Feb 15;27(4):1159-67.
PMID: 9927751 [PubMed - indexed for MEDLINE]

 **20:** [Ford LP, Watson J, Keene JD, Wilusz J.](#)

[Related Articles, Links](#)




ELAV proteins stabilize deadenylated intermediates in a novel in vitro mRNA deadenylation/degradation system.

Genes Dev. 1999 Jan 15;13(2):188-201.
PMID: 9925643 [PubMed - indexed for MEDLINE]

Display Show: Sort Send to
Items 1-20 of 46 Page of 3 Next

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Wilusz J Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Author

Text Version

Display Summary Show: 20 Sort Send to Text

Items 21-40 of 46

Previous Page 2 of 3 Next

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 21: Bagga PS, Arhin GK, Wilusz J. Related Articles, Links**DSEF-1 is a member of the hnRNP H family of RNA-binding proteins and stimulates pre-mRNA cleavage and polyadenylation in vitro.**

Nucleic Acids Res. 1998 Dec 1;26(23):5343-50.

PMID: 9826757 [PubMed - indexed for MEDLINE]

☐ 22: Chen F, Wilusz J. Related Articles, Links**Auxiliary downstream elements are required for efficient polyadenylation of mammalian pre-mRNAs.**

Nucleic Acids Res. 1998 Jun 15;26(12):2891-8.

PMID: 9611233 [PubMed - indexed for MEDLINE]

☐ 23: Ford LP, Bagga PS, Wilusz J. Related Articles, Links**The poly(A) tail inhibits the assembly of a 3'-to-5' exonuclease in an in vitro RNA stability system.**

Mol Cell Biol. 1997 Jan;17(1):398-406.

PMID: 8972220 [PubMed - indexed for MEDLINE]

☐ 24: Banga SS, Ozer HL, Wilusz J. Related Articles, Links**Assignment of GRSF1 encoding a poly(A)+ mRNA binding protein to human chromosome 4q13.**

Cytogenet Cell Genet. 1996;73(4):295-6. No abstract available.

PMID: 8751379 [PubMed - indexed for MEDLINE]

☐ 25: Chen F, MacDonald CC, Wilusz J. Related Articles, Links**Cleavage site determinants in the mammalian polyadenylation signal.**

Nucleic Acids Res. 1995 Jul 25;23(14):2614-20.

PMID: 7651822 [PubMed - indexed for MEDLINE]

☐ 26: Bagga PS, Ford LP, Chen F, Wilusz J. Related Articles, Links**The G-rich auxiliary downstream element has distinct sequence and position requirements and mediates efficient 3' end pre-mRNA processing through a trans-acting factor.**


Nucleic Acids Res. 1995 May 11;23(9):1625-31.

PMID: 7784220 [PubMed - indexed for MEDLINE]

☐ 27: Hubbard K, Dhanaraj SN, Sethi KA, Rhodes J, Wilusz J, Small MB, Ozer HL. Related Articles, Links**Alteration of DNA and RNA binding activity of human telomere binding proteins occurs during cellular senescence.**

Exp Cell Res. 1995 May;218(1):241-7.

PMID: 7537692 [PubMed - indexed for MEDLINE]

 **28:** [MacDonald CC, Wilusz J, Shenk T.](#)

[Related Articles, Links](#)



The 64-kilodalton subunit of the CstF polyadenylation factor binds to pre-mRNAs downstream of the cleavage site and influences cleavage site location.

Mol Cell Biol. 1994 Oct;14(10):6647-54.

PMID: 7935383 [PubMed - indexed for MEDLINE]

 **29:** [Chou ZF, Chen F, Wilusz J.](#)


[Related Articles, Links](#)



Sequence and position requirements for uridylate-rich downstream elements of polyadenylation signals.

Nucleic Acids Res. 1994 Jul 11;22(13):2525-31.

PMID: 7518915 [PubMed - indexed for MEDLINE]

 **30:** [Qian Z, Wilusz J.](#)

[Related Articles, Links](#)



GRSF-1: a poly(A)⁺ mRNA binding protein which interacts with a conserved G-rich element.

Nucleic Acids Res. 1994 Jun 25;22(12):2334-43.

PMID: 8036161 [PubMed - indexed for MEDLINE]

 **31:** [Runge-Morris M, Wilusz J.](#)


[Related Articles, Links](#)



Suppression of hydroxysteroid sulfotransferase-a gene expression by 3-methylcholanthrene.

Toxicol Appl Pharmacol. 1994 Mar;125(1):133-41.

PMID: 8128488 [PubMed - indexed for MEDLINE]

 **32:** [Qian Z, Wilusz J.](#)


[Related Articles, Links](#)



Cloning of a cDNA encoding an RNA binding protein by screening expression libraries using a northwestern strategy.

Anal Biochem. 1993 Aug 1;212(2):547-54.

PMID: 8214599 [PubMed - indexed for MEDLINE]

 **33:** [Qian ZW, Wilusz J.](#)


[Related Articles, Links](#)



An RNA-binding protein specifically interacts with a functionally important domain of the downstream element of the simian virus 40 late polyadenylation signal.

Mol Cell Biol. 1991 Oct;11(10):5312-20.

PMID: 1656229 [PubMed - indexed for MEDLINE]

 **34:** [Runge-Morris M, Wilusz J.](#)


[Related Articles, Links](#)



Age and gender-related gene expression of hydroxysteroid sulfotransferase-a in rat liver.

Biochem Biophys Res Commun. 1991 Mar 29;175(3):1051-6.

PMID: 1709009 [PubMed - indexed for MEDLINE]

 **35:** [Takagaki Y, Manley JL, MacDonald CC, Wilusz J, Shenk T.](#)

[Related Articles, Links](#)




A multisubunit factor, CstF, is required for polyadenylation of mammalian pre-mRNAs.


Genes Dev. 1990 Dec;4(12A):2112-20.


PMID: 1980119 [PubMed - indexed for MEDLINE]

 **36:** [Wilusz J, Shenk T.](#)


[Related Articles, Links](#)

 A uridylate tract mediates efficient heterogeneous nuclear ribonucleoprotein C protein-RNA cross-linking and functionally substitutes for the downstream element of the polyadenylation signal.
Mol Cell Biol. 1990 Dec;10(12):6397-407.
PMID: 1701018 [PubMed - indexed for MEDLINE]


 **37:** [Wilusz J, Shenk T, Takagaki Y, Manley JL.](#) [Related Articles](#), [Links](#)

 A multicomponent complex is required for the AAUAAA-dependent cross-linking of a 64-kilodalton protein to polyadenylation substrates.
Mol Cell Biol. 1990 Mar;10(3):1244-8.
PMID: 2304466 [PubMed - indexed for MEDLINE]


 **38:** [Wilusz J, Pettine SM, Shenk T.](#) [Related Articles](#), [Links](#)

 Functional analysis of point mutations in the AAUAAA motif of the SV40 late polyadenylation signal.
Nucleic Acids Res. 1989 May 25;17(10):3899-908.
PMID: 2543957 [PubMed - indexed for MEDLINE]

 **39:** [Wilusz J, Feig DL, Shenk T.](#) [Related Articles](#), [Links](#)

 The C proteins of heterogeneous nuclear ribonucleoprotein complexes interact with RNA sequences downstream of polyadenylation cleavage sites.
Mol Cell Biol. 1988 Oct;8(10):4477-83.
PMID: 2847033 [PubMed - indexed for MEDLINE]

 **40:** [Wilusz J, Shenk T.](#) [Related Articles](#), [Links](#)

 A 64 kd nuclear protein binds to RNA segments that include the AAUAAA polyadenylation motif.
Cell. 1988 Jan 29;52(2):221-8.
PMID: 2830023 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **-** Send to **Text**
Items 21-40 of 46 Previous **Page** **2** of 3 Next

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Wilusz J Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Author

Text Version

Display Summary Show: 20 Sort Send to Text

Items 41-46 of 46

Previous Page 3 of 3

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 41: [Wilusz J, Keene JD.](#) [Related Articles, Links](#) Autoantibodies specific for U1 RNA and initiator methionine tRNA.
J Biol Chem. 1986 Apr 25;261(12):5467-72.
PMID: 2420801 [PubMed - indexed for MEDLINE]☐ 42: [Kiley MP, Wilusz J, McCormick JB, Keene JD.](#) [Related Articles, Links](#) Conservation of the 3' terminal nucleotide sequences of Ebola and Marburg virus.
Virology. 1986 Mar;149(2):251-4.
PMID: 3946083 [PubMed - indexed for MEDLINE]☐ 43: [Wilusz J, Youngner JS, Keene JD.](#) [Related Articles, Links](#) Base mutations in the terminal noncoding regions of the genome of vesicular stomatitis virus isolated from persistent infections of L cells.
Virology. 1985 Jan 30;140(2):249-56.
PMID: 2982234 [PubMed - indexed for MEDLINE]☐ 44: [Wilusz J, Keene JD.](#) [Related Articles, Links](#) Interactions of plus and minus strand leader RNAs of the New Jersey serotype of vesicular stomatitis virus with the cellular La protein.
Virology. 1984 May;135(1):65-73.
PMID: 6203219 [PubMed - indexed for MEDLINE]☐ 45: [Wilusz J, Kurilla MG, Keene JD.](#) [Related Articles, Links](#) A host protein (La) binds to a unique species of minus-sense leader RNA during replication of vesicular stomatitis virus.
Proc Natl Acad Sci U S A. 1983 Oct;80(19):5827-31.
PMID: 6310594 [PubMed - indexed for MEDLINE]☐ 46: [Callewaert DM, Mahle NH, Genyva J, Wilusz JR, Chores JB, Baker S, Thomas R, Ruedisueli E.](#) [Related Articles, Links](#) Experimental application of a multistep kinetic model for natural cytotoxicity: determination of rate constants for lytic programming and killer-cell-independent lysis.
Nat Immun Cell Growth Regul. 1983-84;3(4):210-21.
PMID: 6597342 [PubMed - indexed for MEDLINE]

Display Summary Show: 20 Sort Send to Text

Items 41-46 of 46

Previous Page 3 of 3



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for Wilusz C Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Author

Text Version

Display Summary Show: 20 Sort Send to Text

Items 1-7 of 7

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Duttagupta R, Vasudevan S, Wilusz CJ, Peltz SW.](#)

[Related Articles, Links](#)

A yeast homologue of Hsp70, Ssa1p, regulates turnover of the MFA2 transcript through its AU-rich 3' untranslated region.
Mol Cell Biol. 2003 Apr;23(8):2623-32.
PMID: 12665566 [PubMed - indexed for MEDLINE]

☐ 2: [Vasudevan S, Peltz SW, Wilusz CJ.](#)

[Related Articles, Links](#)

Non-stop decay--a new mRNA surveillance pathway.
Bioessays. 2002 Sep;24(9):785-8. Review.
PMID: 12210514 [PubMed - indexed for MEDLINE]

☐ 3: [Wilusz CJ, Wang W, Peltz SW.](#)

[Related Articles, Links](#)

Curbing the nonsense: the activation and regulation of mRNA surveillance.
Genes Dev. 2001 Nov 1;15(21):2781-5. Review. No abstract available.
PMID: 11691829 [PubMed - indexed for MEDLINE]

☐ 4: [Wilusz CJ, Gao M, Jones CL, Wilusz J, Peltz SW.](#)

[Related Articles, Links](#)

Poly(A)-binding proteins regulate both mRNA deadenylation and decapping in yeast cytoplasmic extracts.
RNA. 2001 Oct;7(10):1416-24.
PMID: 11680846 [PubMed - indexed for MEDLINE]

☐ 5: [Evans D, Perez I, MacMorris M, Leake D, Wilusz CJ, Blumenthal T.](#)

[Related Articles, Links](#)

A complex containing CstF-64 and the SL2 snRNP connects mRNA 3' end formation and trans-splicing in *C. elegans* operons.
Genes Dev. 2001 Oct 1;15(19):2562-71.
PMID: 11581161 [PubMed - indexed for MEDLINE]

☐ 6: [Wilusz CJ, Wormington M, Peltz SW.](#)

[Related Articles, Links](#)

The cap-to-tail guide to mRNA turnover.
Nat Rev Mol Cell Biol. 2001 Apr;2(4):237-46. Review.
PMID: 11283721 [PubMed - indexed for MEDLINE]

☐ 7: [Gao M, Wilusz CJ, Peltz SW, Wilusz J.](#)

[Related Articles, Links](#)

A novel mRNA-decapping activity in HeLa cytoplasmic extracts is regulated by AU-rich elements.
EMBO J. 2001 Mar 1;20(5):1134-43.
PMID: 11230136 [PubMed - indexed for MEDLINE]

Display Summary Show: 20 Sort Send to Text

Items 1-7 of 7

One page.